


Aesculap® AIOS – The Smile System

Aesculap® Instrument Organisation System




Aesculap Sterile Technology

Aesculap® Instrument Organisation System

Organisation and protection of surgical instruments

Like this ...



... or rather
like this?



AIOS – The Smile System.





simply a good idea

Our AIOS organisation system is an ingenious way to keep sterile goods organized, making it easy for you to carry out procedures efficiently. This versatile system has been precisely tailored to Aesculap instrument trays and is easy to assemble. The instrument racks are fixed in place in mere seconds using pins or clips. Ready! Just one more thing: for a simple introduction to this product, try out the practical **AIOS Starter Kit**.



simply protected

Fine (working) tips need to be protected as much as possible. With AIOS, that's no problem at all! This product's soft components, made from latex-free silicone, provide a soft cushion that nevertheless keeps everything firmly in place. The accurately fitting instrument racks, mats with nubs and mesh mats for Aesculap instrument baskets provide ideal storage for these delicate instruments and hold them securely in place. Just one more thing: Would you like to see this secure grip in action for yourself? Then try out our practical **AIOS Starter Kit**.



simply good value

Our clever AIOS system shows that instruments can be kept tidy and protected in a cost-effective way. Are you tired of micro scissors with ruined tips, bent spring catches or damaged optics? Then try AIOS! Just one more thing: With our practical **AIOS Starter Kit** you can quickly see the benefits for yourself.



simply organized



With this organisation system for sterile goods tidiness is a given even under difficult storage conditions. AIOS features around 70 elements, which you can combine in any way you like and integrate into Aesculap instrument baskets really easily. So everything is clearly in its place, can be checked at a glance, is well organised and is to hand when needed. Just one more thing: You can use the practical **AIOS Starter Kit** to play around and try out the easy way of keeping things in order for yourself.



Aesculap® Instrument Organisation System


Organisation and protection of surgical instruments





Titanium Micro Instruments Set

Micro Skull Supplement




Instruments for Minimally Invasive Valve Surgery




Aesculap® Instrument Organisation System

Organisation and protection of surgical instruments



AV-Shunt

Chisels



Transphenoidal Hypophysectomy Set



Aesculap® Instrument Organisation System

Organisation and protection of surgical instruments

For an easy start.

If you now feel ready to take advantage of AIOS, then we have the very thing you're looking for: the **AIOS Starter Kit**.

The practical case with a selection of AIOS elements to try out and become addicted!

To make starting out a breeze. See for yourself!



»» Welcome on board. ««

JG350 AIOS Starter Kit

Pos	Art. No.	Description	Unit
1	GB459R	Mounting set	1
2	JG303R	Set of screws including 10 screws and 10 self-locking nuts	1
3	JG302	Screwdriver	1
4	JG300	Fixation pin (Pack of 10)	3
5	JF146R	Mini tray	1
6	JG367	Eyepiece holder	1
7	JG368	Sleeve holder	1
8	JG340	Holders with rail diameter 5 mm	2
9	JG341	Holders with rail diameter 7,5 mm	2
10	JG342	Holders with rail diameter 8,5 mm	2
11	JG343	Holders with rail diameter 10 mm	2
12	JG352R	Metal clamp with silicone inlay/rail size 1	1
13	JG353R	Metal clamp with silicone inlay/rail size 2	1
14	JG354R	Metal clamp with silicone inlay/rail size 3	1
15	JF346	Fixation pins for ring handle instruments	2
16	JG333	Instrument rack for micro instruments with spring catch – handle end	1
17	JG334	Instrument rack for micro instruments with spring catch – jaw end	1
18	JG327	Instrument rack type 5 120x40 mm	1
19	JG316	Instrument rack type 4 120x40 mm	1
20	JG323	Instrument rack for micro instruments type 3 123x18 mm	2
21	JG310	Instrument rack type 2 240 x 40 mm	1
22	JG318	Instrument rack type 4 240 x 40 mm	1
23	JG360	Separating racks 240 x 40 mm	1
24	JG325	Instrument rack for micro instruments 160 x 30 mm	2
25	JF945	Silicone mats with perforation (nubs) 1/2	1
26	JF938	Silicone mats (mesh) 1/2	1
27		+ 1 mounting instructions	1
28		+ 1 practical case	1



Aesculap® Instrument Organisation System



Organisation and protection of surgical instruments

Mounting A: for instrument racks with fixation pin



Materials required:

- Fixation pins JG300 (to order separately)
- Screwdriver JG302
- Instrument rack such as JG304
- Aesculap tray (e.g. trays from JC/JB and JF/JG range, but no wire baskets)



Place the instrument rack in the required position on the Aesculap tray, making sure the rack's fixation lugs fit onto the tray's latticework correctly. Insert fixation pin JG300, ensuring that the upper part of the pin is at a 45° angle to the latticework. In this position, use screwdriver JG302 to drive in the pin.


Now, applying pressure, screw the pin into the tray's latticework. Repeat procedure for the second fixation lug if necessary.

Mounting **B**: for silicone holders with fixation clamps




Materials required:

- Silicone instrument holder, such as JG333
- Fixation clamp JG301R (supplied as standard with the silicone instrument holders)
- Aesculap tray (e.g. all trays from the JC/ JB and JF/JG range, but no wire baskets)



Press fixation clamp JG301R at the required location into tray from below until it engages.




Repeat procedure for the second clamp. You can then slide in the holder.



Aesculap® Instrument Organisation System


Organisation and protection of surgical instruments

Mounting **C**: for silicone racks in tray inserts




Materials required:


- Tray inserts JF110R, JF250R or JF210R
- Instrument rack, such as JG372



Push the fixation lugs through the longitudinal slots in the tray.




To pull the lugs through the slot completely, move left and right while applying tension.




Mounting **D**: for trocar racks

Materials required:


- Trocar rack JG361
- Aesculap tray (e.g. all trays from JC/JB and JF/JG range, but no wire baskets)



First insert the longer lugs into the tray perforation.



Then lock the hook on the opposite side into the tray perforation. To do this, gently and briefly push the rack forward and down.



Aesculap® Instrument Organisation System


Organisation and protection of surgical instruments

Mounting **E**: fixation pin for ring handle instruments




Materials required:


- Fixation pin for ring-handle instruments JF346 (screw, spring washer and nut are supplied as standard)
- Allen head wrench (included with mounting set GB459R)
- Aesculap tray (e.g. trays from JC/JB and JF/JG range)



Fit the spring washer onto the screw and guide the screw through the tray latticework from below. Fit the black fixation pin onto the screw from above and use the nut to fasten.




Using the Allen head wrench, fix the screw from below while tightening the black fixation pin from above.



Aesculap® Instrument Organisation System











Organisation and protection of surgical instruments






















Aesculap® Instrument Organisation System

Overview of range

Instrument racks* (mounting A)	Type	Outside dim.	Art. no.
 	1	120 x 40 mm	JG304
		160 x 40 mm	JG305
		240 x 40 mm	JG306
 	2	120 x 40 mm	JG308
		160 x 40 mm	JG309
		240 x 40 mm	JG310
 	3	120 x 40 mm	JG312
		160 x 40 mm	JG313
		240 x 40 mm	JG314
 	4	120 x 40 mm	JG316
		160 x 40 mm	JG317
		240 x 40 mm	JG318
 	5	120 x 40 mm	JG327

Instrument racks for micro instruments* (mounting A)	Type	Outside dim.	Art. no.
 	1	123 x 18 mm	JG321
 	2	123 x 18 mm	JG322
 	3	123 x 18 mm	JG323
 	Support for angled instruments	123 x 45 mm	JG324








For assembly instructions, see page 10 ff.

Instrument racks for micro instruments* (mounting A)	Outside dim.	Art. no.
  <p data-bbox="635 622 774 651">Positioning rack</p>	<p data-bbox="890 607 1029 636">160 x 30 mm</p> <p data-bbox="890 640 1029 669">240 x 30 mm</p>	<p data-bbox="1238 607 1310 636">JG325</p> <p data-bbox="1238 640 1310 669">JG326</p>
  <p data-bbox="603 797 810 891">Support for spring type micro instruments – handle end</p>	<p data-bbox="890 808 1029 837">120 x 40 mm</p> <p data-bbox="890 842 1018 871">60 x 40 mm</p>	<p data-bbox="1238 808 1310 837">JG328</p> <p data-bbox="1238 842 1422 871">JG333 (mounting B)</p>
  <p data-bbox="611 1008 802 1102">Support for spring type micro instruments – jaw end</p>	<p data-bbox="890 1010 1029 1039">120 x 40 mm</p> <p data-bbox="890 1043 1018 1072">60 x 40 mm</p>	<p data-bbox="1238 1010 1310 1039">JG329</p> <p data-bbox="1238 1043 1422 1072">JG334 (mounting B)</p>
Holders with rail* (mounting A)	Diameter	Art. no.
	<p data-bbox="911 1294 991 1323">5 mm</p> <p data-bbox="911 1346 991 1375">7,5 mm</p> <p data-bbox="911 1397 991 1426">8,5 mm</p> <p data-bbox="911 1449 991 1478">10 mm</p> <p data-bbox="911 1500 991 1529">12 mm</p>	<p data-bbox="1238 1294 1310 1323">JG340</p> <p data-bbox="1238 1346 1310 1375">JG341</p> <p data-bbox="1238 1397 1310 1426">JG342</p> <p data-bbox="1238 1449 1310 1478">JG343</p> <p data-bbox="1238 1500 1310 1529">JG344</p>
Metal clamp with silicone inlay/rail* (mounting A)	Diameter	Art. no.
	<p data-bbox="911 1697 1038 1727">15 - 20 mm</p> <p data-bbox="911 1749 1038 1778">20 - 30 mm</p> <p data-bbox="911 1800 1038 1830">30 - 45 mm</p>	<p data-bbox="1238 1697 1326 1727">JG352R</p> <p data-bbox="1238 1749 1326 1778">JG353R</p> <p data-bbox="1238 1800 1326 1830">JG354R</p>
Separating racks* (mounting A)	Outside dim.	Art. no.
	<p data-bbox="911 2002 1054 2031">120 x 40 mm</p> <p data-bbox="911 2054 1054 2083">160 x 40 mm</p> <p data-bbox="911 2105 1054 2134">240 x 40 mm</p>	<p data-bbox="1238 2002 1310 2031">JG358</p> <p data-bbox="1238 2054 1310 2083">JG359</p> <p data-bbox="1238 2105 1310 2134">JG360</p>








* Note: Unless otherwise noted, please order the fixation pins JG300 separately.

Aesculap® Instrument Organisation System

Overview of range




Optics holders* (mounting A)		Art. no.
	Eyepiece holder	JG367
	Sleeve holder	JG368
	Support for angled optics	JG369
Holders with fixation clamp (mounting B)	Diameter	Art. no.
	15 mm	JG330
	25 mm	JG331
	30 mm	JG332
Instrument racks (mounting B)	Outside dim.	Art. no.
  <p data-bbox="550 1747 798 1803">Silicone bar with metal base plate and holding pins JG300</p>	160 x 23 mm	JG397 (mounting A)
  <p data-bbox="550 1881 798 1937">Silicone bar with metal base plate and holding pins JG300</p>	160 x 34 mm	JG398 (mounting A)
 <p data-bbox="598 2004 750 2060">Silicone bar with metal brackets</p>	76 x 33 mm	JG396

For assembly instructions, see page 10 ff.






Rack for basket inlays (mounting C)	<i>Outside dim.</i>	<i>Art. no.</i>
	240 x 30 mm	JG370
	234 x 30 mm	JG371
	227 x 30 mm	JG372
Instrument racks for special trays with 30 mm height (mounting C)	<i>Outside dim.</i>	<i>Art. no.</i>
	158 x 14 mm	JG400
	74 x 22 mm	JG394
	115 x 22 mm	JG395
	158 x 22 mm	JG391



Aesculap® Instrument Organisation System

Overview of range

Instrument racks for special trays with 41 mm height (mounting C)	Outside dim.	Art. no.
	76 x 33 mm	JG392
	158 x 33 mm	JG393
	158 x 30 mm	JG390
Top holder for special trays	Outside dim.	Art. no.
	<p><i>Press pad, for suppressing the instrument, to assemble to the lower side of the lid.</i></p>	150 x 15 mm
		JG399 (mounting B)
Trocar rack (mounting D)	Outside dim.	Art. no.
 <p><i>Storage example: 2 x JG361, 1 x JG309</i></p>	167 x 53 mm	JG361



For assembly instructions, see page 10 ff.





Fixation elements		Art. no.
	<p>for mounting A</p> <p>Fixation pin</p>	<p>JG300 Pack of 10</p>
	<p>for mounting B</p> <p>Fixation clamp</p>	<p>JG301R Pack of 10</p>
	<p>for mounting A</p> <p>Screwdriver</p>	<p>JG302</p>
		<p>Set of screws and self-locking nuts</p> <p>JG303R Pack containing 10 pieces/each</p>
		<p>Mounting set</p> <p>Consists of:</p> <p>1 x wrench</p> <p>1 x Allen key (for mounting E)</p> <p>GB459R</p>




Fixation pins for ring handle instruments	Diameter	Art. no.
	<p>for mounting E</p>	<p>25 mm, height 29 mm</p> <p>JF346</p>
		<p>6 mm, height 47 mm</p> <p>JF343</p>



Aesculap® Instrument Organisation System

Overview of range

Silicone mats (mesh)		Outside dim.	Art. no.
 	fitting to 1/2 basket	240 x 250 mm	JF938
	fitting to 3/4 basket	402 x 250 mm	JF940
	fitting to DIN basket	480 x 250 mm	JF939
	fitting to 1/1 basket	536 x 250 mm	JF941

Silicone mats with perforation (nubs)		Outside dim.	Art. no.
   	fitting to JF159R	248 x 102 mm	JF944
	fitting to 1/2 basket	248 x 237 mm	JF945
	fitting to 3/4 basket	394 x 242 mm	JF947
	fitting to DIN basket	472 x 242 mm	JF948
	fitting to 1/1 basket	517 x 242 mm	JF949

Positioning mat		Outside dim.	Art. no.
 		470 x 230 x 32 mm	JF932
		276 x 125 x 17 mm	JF934



Note:

The Aesculap Instrument Organisation System can be used with any Aesculap tray with 4 mm perforation, model JF212R, JG212R, JC212R, JB212R.

It can not be used with wire trays JF499R and with trays with large perforation, model JH212R.

The silicone positioning mats can be used with any tray.



Look out for this symbol!

Aesculap® Instrument Organisation System

Organisation and protection of surgical instruments



























Good reasons for choosing Aesculap instrument baskets:

- Close-meshed side walls to prevent breakage of fine instrument tips
- Smooth surfaces for preventing damage to surgical gloves
- Lids for special protection of fine instruments (Micro, ENT) during processing, transport and storage
- With large perforation specially suited for cleaning of instruments contaminated with rough debris (e.g. bone chips)
- Fully compatible with the Aesculap Instrument Organisation System
- Comprehensive product range offering solutions not only for using instrument baskets in the Sterile Container System but also for single-use packaging materials
- Various handle designs for easier aseptic preparation in the operating room
- Rounded feet made of thermostable plastic or stainless steel - for stacking and for protecting the support surface and the wrapping
- Additional user comfort thanks to low weight construction
- Our internal tests have shown good results in terms of cleaning and drying. Ask us for more information!























Aesculap® Instrument Organisation System

Overview of range

Aesculap Tray with feet (4 mm perforation)			<i>Outer dimensions</i> <i>Inner dimensions</i>	<i>Art. No.</i>
	 	 50	243 x 253 x 50 mm 235 x 245 x 42 mm	JC112R
		 70	243 x 253 x 70 mm 235 x 245 x 62 mm	JC113R
		 100	243 x 253 x 100 mm 235 x 245 x 92 mm	JC114R
	 	 50	406 x 253 x 50 mm 398 x 245 x 42 mm	JC252R
		 70	406 x 253 x 70 mm 398 x 245 x 62 mm	JC253R
		 100	406 x 253 x 100 mm 398 x 245 x 92 mm	JC254R
	 	 50	485 x 253 x 50 mm 477 x 245 x 42 mm	JC212R
		 70	485 x 253 x 70 mm 477 x 245 x 62 mm	JC213R
		 100	485 x 253 x 100 mm 477 x 245 x 92 mm	JC214R
	 	 50	536 x 253 x 50 mm 528 x 245 x 42 mm	JC222R
		 70	536 x 253 x 70 mm 528 x 245 x 62 mm	JC223R
		 100	536 x 253 x 100 mm 528 x 245 x 92 mm	JC224R

😊 Create your own AIOS combination!





























Aesculap Tray without feet (4 mm perforation)		<i>Outer dimensions</i> <i>Inner dimensions</i>	<i>Art. No.</i>	
	 	 44	243 x 253 x 44 mm 235 x 245 x 42 mm	JB112R
		 64	243 x 253 x 64 mm 235 x 245 x 62 mm	JB113R
		 94	243 x 253 x 94 mm 235 x 245 x 92 mm	JB114R
	 	 44	406 x 253 x 44 mm 398 x 245 x 42 mm	JB252R
		 64	406 x 253 x 64 mm 398 x 245 x 62 mm	JB253R
		 94	406 x 253 x 94 mm 398 x 245 x 92 mm	JB254R
	 	 44	485 x 253 x 44 mm 477 x 245 x 42 mm	JB212R
		 64	485 x 253 x 64 mm 477 x 245 x 62 mm	JB213R
		 94	485 x 253 x 94 mm 477 x 245 x 92 mm	JB214R
	 	 44	536 x 253 x 44 mm 528 x 245 x 42 mm	JB222R
		 64	536 x 253 x 64 mm 528 x 245 x 62 mm	JB223R
		 94	536 x 253 x 94 mm 528 x 245 x 92 mm	JB224R

Aesculap® Instrument Organisation System

Overview of range












Basket with feet (4 mm perforation)		Outer dimensions Inner dimensions	Art. No.		
	 	 36  56	243 x 253 x 36 mm 241 x 251 x 22 mm	JF111R	
		 76  106	243 x 253 x 56 mm 241 x 251 x 42 mm 243 x 253 x 76 mm 241 x 251 x 62 mm 243 x 253 x 106 mm 241 x 251 x 92 mm	JF112R JF113R JF114R	
		 	 36  56	406 x 253 x 36 mm 404 x 251 x 22 mm 406 x 253 x 56 mm 404 x 251 x 42 mm	JF251R JF252R
			 76  106	406 x 253 x 76 mm 404 x 251 x 62 mm 406 x 253 x 106 mm 404 x 251 x 92 mm	JF253R JF254R
		 	 36  56	485 x 253 x 36 mm 483 x 251 x 22 mm 485 x 253 x 56 mm 483 x 251 x 42 mm	JF211R JF212R
			 76  106	485 x 253 x 76 mm 483 x 251 x 62 mm 485 x 253 x 106 mm 483 x 251 x 92 mm	JF213R JF214R
		 	 36  56	540 x 253 x 36 mm 538 x 251 x 22 mm 540 x 253 x 56 mm 538 x 251 x 42 mm	JF221R JF222R
			 76  106	540 x 253 x 76 mm 538 x 251 x 62 mm 540 x 253 x 106 mm 538 x 251 x 92 mm	JF223R JF224R




😊 Create your own AIOS combination!





















Basket without feet (4 mm perforation)		<i>Outer dimensions</i> <i>Inner dimensions</i>	<i>Art. No.</i>			
	 	 24  44  64  94	243 x 253 x 24 mm 241 x 251 x 22 mm 243 x 253 x 44 mm 241 x 251 x 42 mm 243 x 253 x 64 mm 241 x 251 x 62 mm 243 x 253 x 94 mm 241 x 251 x 92 mm	JG111R JG112R JG113R JG114R		
		 	 24  44  64  94	406 x 253 x 24 mm 404 x 251 x 22 mm 406 x 253 x 44 mm 404 x 251 x 42 mm 406 x 253 x 64 mm 404 x 251 x 62 mm 406 x 253 x 94 mm 404 x 251 x 92 mm	JG251R JG252R JG253R JG254R	
			 	 24  44  64  94	485 x 253 x 24 mm 483 x 251 x 22 mm 485 x 253 x 44 mm 483 x 251 x 42 mm 485 x 253 x 64 mm 483 x 251 x 62 mm 485 x 253 x 94 mm 483 x 251 x 92 mm	JG211R JG212R JG213R JG214R
				 	 24  44  64  94	540 x 253 x 24 mm 538 x 251 x 22 mm 540 x 253 x 44 mm 538 x 251 x 42 mm 540 x 253 x 64 mm 538 x 251 x 62 mm 540 x 253 x 94 mm 538 x 251 x 92 mm

Aesculap® Instrument Organisation System

Overview of range





Lid for basket (only for series JF/JG)			Outer dimensions	Art. No.
			247 x 257 x 18 mm	JF117R
			410 x 257 x 18 mm	JF257R
			489 x 257 x 18 mm	JF217R
			544 x 257 x 18 mm	JF227R

Inlay for basket			Outer dimensions Inner dimensions	Art. No.
		 34	196 x 252 x 34 mm 194 x 237 x 33 mm	JF110R
			305 x 252 x 34 mm 303 x 237 x 33 mm	JF250R
			438 x 252 x 34 mm 436 x 237 x 33 mm	JF210R

Stainless steel basket with feet (8 mm perforation)			Outer dimensions Inner dimensions	Art. No.
   <ul style="list-style-type: none"> Handles lockable in three positions 	 Standard 1/2	 56	243 x 253 x 56 mm 241 x 251 x 42 mm	JH112R
		 76	243 x 253 x 76 mm 241 x 251 x 62 mm	JH113R
		 106	243 x 253 x 106 mm 241 x 251 x 92 mm	JH114R
	 Standard 3/4	 56	406 x 253 x 56 mm 404 x 251 x 42 mm	JH252R
		 76	406 x 253 x 76 mm 404 x 251 x 62 mm	JH253R
		 106	406 x 253 x 106 mm 404 x 251 x 92 mm	JH254R
	 Standard DIN	 lid 18	489 x 257 x 18 mm	JH217R with large perforation
		 56	485 x 253 x 56 mm 483 x 251 x 42 mm	JH212R
		 76	485 x 253 x 76 mm 483 x 251 x 62 mm	JH213R
		 106	485 x 253 x 106 mm 483 x 251 x 92 mm	JH214R
	 Standard 1/1	 56	540 x 253 x 56 mm 538 x 251 x 42 mm	JH222R
		 76	540 x 253 x 76 mm 538 x 251 x 62 mm	JH223R
 106		540 x 253 x 106 mm 538 x 251 x 92 mm	JH224R	






Aesculap® Instrument Organisation System

Overview of range

Mini Trays		<i>Outer dimensions</i> <i>Inner dimensions</i>	<i>Art. No.</i>
 <i>for small objects</i>	2 mm perforation	85 x 44 x 25 mm 80 x 39 x 18 mm	JF145R
	4 mm perforation	85 x 44 x 25 mm 80 x 39 x 18 mm	JF146R
		354 x 44 x 35 mm 349 x 39 x 28 mm	JF147R
		145 x 44 x 25 mm 140 x 39 x 18 mm	JF148R
 <i>for small objects, two trays fitting into an Aesculap Mini Container, 2 each fitting into JK188 or JN188</i>		135 x 120 x 47 mm 128 x 113 x 38 mm	JF149R
 <i>for small objects or micro instruments</i>		235 x 137 x 42 mm 229 x 131 x 35 mm	JF150R
 <i>for micro instruments fitting into an Aesculap Mini Container, fitting into JK188 or JN188</i>		267 x 125 x 49 mm 261 x 118 x 41 mm	JF159R











 Create your own AIOS combination!

Special Trays		<i>Outer dimensions</i> <i>Inner dimensions</i>	<i>Art. No.</i>
 <p><i>Tray without inserts, with lid handle fitting into Dental Container JN094</i></p>	 	<p>273 x 176 x 41 mm 258 x 170 x 34 mm</p>	<p>JF264R</p>
 <p><i>Tray with lid fitting into Dental Container JN095</i></p>	 	<p>273 x 176 x 60 mm 258 x 170 x 53 mm</p>	<p>JG285R</p>
 <p><i>Tray without lid fitting into Dental Container JN096</i></p>	 	<p>269 x 171 x 93 mm 267 x 169 x 91 mm</p>	<p>JF282R</p>
 <p><i>Lid for tray JF282R</i></p>		<p>273 x 176 x 16 mm</p>	<p>JF289R</p>

Aesculap® Instrument Organisation System

Overview of range





Special Trays		Outer dimensions Inner dimensions	Art. No.
 <p><i>Tray, contains three instrument racks (JG392), with lid handle, fitting into Dental Container JN094</i></p>		<p>273 x 84 x 41 mm 267 x 78 x 34 mm</p>	<p>JG380R</p>
 <p><i>Tray, contains three instrument racks (JG391), with lid handle, fitting into Dental Container JN092</i></p>		<p>273 x 176 x 30 mm 267 x 170 x 23 mm</p>	<p>JG381R</p>
 <p><i>Tray, with perforation for retractor, contains three instrument racks (JG391), with lid handle, fitting into Dental Container JN092</i></p>		<p>273 x 176 x 30 mm 267 x 170 x 23 mm</p>	<p>JG383R</p>
 <p><i>Tray, contains three instrument racks (JG393), with lid handle, fitting into Dental Container JN094</i></p>		<p>273 x 176 x 41 mm 267 x 170 x 34 mm</p>	<p>JG384R</p>

 Create your own AIOS combination!



Special Trays		<i>Outer dimensions</i> <i>Inner dimensions</i>	<i>Art. No.</i>
 <p data-bbox="140 815 448 869"><i>Tray, without inserts, with lid handle, fitting into Dental Container JN094</i></p>	 	<p data-bbox="847 674 1054 734">273 x 176 x 41 mm 267 x 170 x 34 mm</p>	<p data-bbox="1267 674 1353 696">JG386R</p>
 <p data-bbox="140 1055 432 1108"><i>Tray, contains two instrument racks (2 x JG394) for 6 instruments</i></p>		<p data-bbox="847 958 1043 1019">188 x 84 x 30 mm 181 x 82 x 23 mm</p>	<p data-bbox="1267 958 1353 981">JG387R</p>
 <p data-bbox="140 1249 204 1294"><i>Tray with lid</i></p>	 	<p data-bbox="847 1189 1043 1249">188 x 84 x 30 mm 181 x 82 x 23 mm</p>	<p data-bbox="1267 1189 1353 1211">JG487R</p>
 <p data-bbox="140 1518 432 1572"><i>Tray, contains two instrument racks (2 x JG395) for 10 instruments</i></p>		<p data-bbox="847 1395 1054 1456">188 x 125 x 30 mm 181 x 123 x 23 mm</p>	<p data-bbox="1267 1395 1353 1417">JG388R</p>
 <p data-bbox="140 1704 204 1749"><i>Tray with lid</i></p>	 	<p data-bbox="847 1648 1054 1709">188 x 125 x 30 mm 181 x 123 x 23 mm</p>	<p data-bbox="1267 1648 1353 1671">JG488R</p>
 <p data-bbox="140 2018 491 2101"><i>Tray, contains five instrument racks (2 x JG394, 2 x JG400, 1 x JG401), with lid handle, fitting into Dental Container JN092</i></p>		<p data-bbox="847 1906 1054 1966">273 x 176 x 30 mm 181 x 174 x 23 mm</p>	<p data-bbox="1267 1906 1353 1928">JG389R</p>

Aesculap® Instrument Organisation System

Overview of range







Optic Trays	Outer dimensions Inner dimensions	Art. No.
 <p data-bbox="137 878 424 927"><i>Tray for one optic of sheath length up to 340 mm.</i></p>	<p data-bbox="842 721 1037 779">454 x 84 x 41 mm 448 x 78 x 34 mm</p>	<p data-bbox="1264 721 1343 748">JF431R</p>
 <p data-bbox="137 1258 434 1308"><i>Tray for two optics of sheath length up to 340 mm.</i></p>	<p data-bbox="842 1088 1050 1146">454 x 104 x 41 mm 448 x 98 x 34 mm</p>	<p data-bbox="1264 1088 1343 1115">JF432R</p>
 <p data-bbox="137 1639 472 1688"><i>Tray for two optics of sheath length up to 340 mm, with additional support.</i></p>	<p data-bbox="842 1482 1059 1541">454 x 104 x 41 mm 448 x 98 x 34 mm</p>	<p data-bbox="1264 1482 1353 1509">JF433R</p>
 <p data-bbox="137 2029 360 2078"><i>Tray for mini hysteroscope of < 4 mm diameter</i></p>	<p data-bbox="842 1872 1053 1930">454 x 104 x 41 mm 448 x 98 x 34 mm</p>	<p data-bbox="1264 1872 1347 1899">JF434R</p>

 Create your own AIOS combination!


Optic Trays	Outer dimensions Inner dimensions	Art. No.
 <p>Tray for one arthroscope of 2.7 mm or 4 mm sheath diameter and sheath length 140 - 200 mm.</p>	<p>273 x 84 x 41 mm 267 x 78 x 34 mm</p>	<p>JF436R</p>
 <p>Tray for up to two laparoscopic optics and one light conducting cable (optic holders JG367 + JG368 and the fixation pins JG300 please order separately)</p>	<p></p> <p>501 x 134 x 45 mm</p>	<p>JF435R</p>
 <p>Tray like JF435R prepared for one optic and one light conducting cable (incl. 1x JG367 + 1x JG368 + fixation pins JG300)</p>	<p>501 x 134 x 45 mm</p>	<p>JF428R</p>
 <p>Tray like JF435R prepared for two optics and one light conducting cable (incl. 2x JG367 + 2x JG368 + fixation pins JG300)</p>	<p>501 x 134 x 45 mm</p>	<p>JF429R</p>

Aesculap® Instrument Organisation System

Overview of range

Storage rack for MIC instruments	Outer dimensions	Art. No.
 <p data-bbox="137 797 480 904"><i>Storage rack set for MIS instruments and trocars, consisting of: Storage rack, standard, perforated tray and silicon mat fitting for JK444 and JK489.</i></p>	 <p data-bbox="842 721 1066 748">540 x 253 x 166 mm</p>	<p data-bbox="1262 721 1345 748">PL960R</p>
 <p data-bbox="137 1227 507 1357"><i>Storage rack set for MIS instruments, long, consisting of: Storage rack, long, perforated tray and silicon mat, for instruments with shaft length up to 420 mm, fitting for JN445 and JK490.</i></p>	 <p data-bbox="842 1151 1066 1178">660 x 253 x 166 mm</p>	<p data-bbox="1262 1151 1345 1178">PL961R</p>
 <p data-bbox="137 1671 328 1697"><i>Storage rack, standard</i></p>	<p data-bbox="842 1563 1066 1590">487 x 250 x 153 mm</p>	<p data-bbox="1262 1563 1345 1590">PL963R</p>
 <p data-bbox="137 2033 293 2060"><i>Storage rack, long</i></p>	<p data-bbox="842 1935 1066 1962">587 x 250 x 153 mm</p>	<p data-bbox="1262 1935 1345 1962">PL964R</p>


😊 Create your own AIOS combination!

Storage frame for bone punches	<i>Outer dimensions</i>	<i>Art. No.</i>
	240 x 225 x 161 mm	JF120R

Index

GB459R	23	JF113R	30	JF282R	35	JG213R	31
		JF114R	30	JF289R	35	JG214R	31
JB112R	29	JF117R	32	JF343	23	JG221R	31
JB113R	29	JF120R	41	JF346	23	JG222R	31
JB114R	29	JF145R	34	JF428R	39	JG223R	31
JB212R	29	JF146R	34	JF429R	39	JG224R	31
JB213R	29	JF147R	34	JF431R	38	JG251R	31
JB214R	29	JF148R	34	JF432R	38	JG252R	31
JB222R	29	JF149R	34	JF433R	38	JG253R	31
JB223R	29	JF150R	34	JF434R	38	JG254R	31
JB224R	29	JF159R	34	JF435R	39	JG285R	35
JB252R	29	JF210R	32	JF436R	39	JG300	23
JB253R	29	JF211R	30	JF932	24	JG301R	23
JB254R	29	JF212R	30	JF934	24	JG302	23
JC112R	28	JF213R	30	JF938	24	JG303R	23
JC113R	28	JF214R	30	JF939	24	JG304	18
JC114R	28	JF217R	32	JF940	24	JG305	18
JC212R	28	JF221R	30	JF941	24	JG306	18
JC213R	28	JF222R	30	JF944	24	JG308	18
JC214R	28	JF223R	30	JF945	24	JG309	18
JC222R	28	JF224R	30	JF947	24	JG310	18
JC223R	28	JF227R	32	JF948	24	JG312	18
JC224R	28	JF250R	32	JF949	24	JG313	18
JC252R	28	JF251R	30	JG111R	31	JG314	18
JC253R	28	JF252R	30	JG112R	31	JG316	18
JC254R	28	JF253R	30	JG113R	31	JG317	18
JF110R	32	JF254R	30	JG114R	31	JG318	18
JF111R	30	JF257R	32	JG211R	31	JG321	18
JF112R	30	JF264R	35	JG212R	31	JG322	18

JG323	18	JG383R	36	JH224R	33
JG324	18	JG384R	36	JH252R	33
JG325	19	JG386R	37	JH253R	33
JG326	19	JG387R	37	JH254R	33
JG327	18	JG388R	37		
JG328	19	JG389R	37	PL960R	40
JG329	19	JG390	22	PL961R	40
JG330	20	JG391	21	PL963R	40
JG331	20	JG392	22	PL964R	40
JG332	20	JG393	22		
JG333	19	JG394	21		
JG334	19	JG395	21		
JG340	19	JG396	20		
JG341	19	JG397	20		
JG342	19	JG398	20		
JG343	19	JG399	22		
JG344	19	JG400	21		
JG358	19	JG401	22		
JG359	19	JG487R	37		
JG360	19	JG488R	37		
JG361	22	JH112R	33		
JG367	20	JH113R	33		
JG368	20	JH114R	33		
JG369	20	JH212R	33		
JG370	21	JH213R	33		
JG371	21	JH214R	33		
JG372	21	JH217R	33		
JG380R	36	JH222R	33		
JG381R	36	JH223R	33		



Aesculap AG | Am Aesculap-Platz | 78532 Tuttlingen | Germany
Phone +49 7461 95-0 | Fax +49 7461 95-26 00 | www.aesculap.com

Aesculap – a B. Braun company

The main product trademark 'Aesculap' is a registered trademark of Aesculap AG.

Subject to technical changes. All rights reserved. This brochure may only be used for the exclusive purpose of obtaining information about our products. Reproduction in any form partial or otherwise is not permitted.

Brochure No. C81902

0312/1.0/4