



MicroGard™ II

Pulmonary function filter

MICROGARD™ II

 **vyaire**[™]
MEDICAL

MicroGard™ II pulmonary function filter

Our filters provide an easy way to help ensure protection from cross-contamination. The MicroGard II stands for patient and operator safety without compromising on system performance and clinical output.

Key Features

- 99.999% viral and bacterial efficiency against cross contamination
- Low resistance to airflow
- Minimal dead space (55 mL)
- Filter housing and filter fleece tested for biocompatibility
- 2 filters and 2 filter kits configuration versions
- Validated for compliance with the complete Vyaire Respiratory Diagnostics product line
- Cleaning cycle for downstreamed parts can be reduced to twice a year by using MicroGard filter¹



MicroGard IIC round mouthpiece/connector

MicroGard IIB integrated oval-shaped mouthpiece

MicroGard II filters are the filters of choice for use with Vyntus®, JAEGER® MasterScreen, Vmax®, and Micro Medical PFT instrumentation.



The MicroGard II filter series

- **MicroGard IIB** with integrated oval shaped mouthpiece suitable for adult and pediatric use.
- **MicroGard IIC** with round shaped connector for use with special lung function mouthpieces, ideal for gas dilution and bodyplethysmographic measurements.

After extensive testing at independent labs such as Nelson Laboratory the MicroGard II bacterial/viral filter confirms to offer the right balance between optimized filtration efficiency and minimal resistance (Delta P) to airflow.² Based on strict Vyaire verification and validation processes, the MicroGard II does not affect equipment measurement characteristics while protecting patient, operator and equipment from cross-contamination.

Ordering information

Part no.	Description	Qty. (cs.)
V-892381	MicroGard IIB (single filter, integrated oval shaped mouthpiece)	50
V-892384	MicroGard IIC (single filter, round connector)	50
V-892391	Filter kit (MicroGard IIB + noseclip)	80
V-892392	Filter kit (MicroGard IIC + disposable mouthpiece + noseclip)	80
V-861449	Silicon adapter, oval, for volume calibration using MicroGard IIB	1
852740	Silicon adapter, round, for volume calibration using MicroGard IIC	1
36-MFA1010	Adapter MicroGard to Micro Medical spirometers	10

Product specifications

- Inspiratory resistance: < 0.04 kPa/(L/s) at 1 L/s (< 0.4 cmH₂O/(L/s) at 1 L/s)
- Expiratory resistance: < 0.04 kPa/(L/s) at 1 L/s (< 0.4 cmH₂O/(L/s) at 1 L/s)
- Filtering efficiency against cross contamination:
 - Bacterial > 99.999% (based on Nelson Test Report 10003754)
 - Viral > 99.999% (based on Nelson Test Report 10003754)



REFERENCES

1. Based on the Bio Burden DIN EN ISO 11737-1: Report 18AA0193
2. A. Sandall, "Virus Filtration Efficiency Test (VFE) at an Increased Challenge Level GLP Report", Nelson Laboratories, UT, Salt Lake City, Laboratory Number 530460, May 2010

GLOBAL HEADQUARTERS

Vyaire Medical, Inc.
26125 North Riverwoods Blvd
Mettawa, IL 60045
USA



Vyaire Medical GmbH
Leibnizstrasse 7
97204 Hoechberg
Germany



For distribution in international markets.

© 2021 Vyaire. Vyaire, the Vyaire logo and all other trademarks or registered trademarks are property of Vyaire Medical, Inc., or one of its affiliates. Medical devices class IIa according to Medical Devices Directive 93/42/EEC. Please read the complete Instructions For Use that come with the devices or follow the instructions on the product labelling. VYR-INTL-1900030 (2.0), V-791150

